



GPE 东莞市金盈电子有限公司
中国广东省东莞市石碣镇沙腰村金沙路

Golden Profit Electronics Ltd

Jin Sha Road, Sha Yao village, Shijie Town, Dongguan City, Guangdong Province, PR China

Tel: (86)769-8632 6328 **Fax:** (86)769-8663 3512 **E-mail:** gpepower@gpepower.com



CONTENTS 目录

INTRODUCTION	01
CERTIFICATE	02
USB CHARGER	03
GAN PD CHARGER	07
GAN PD CAR CHARGER	19
ADAPTER	21

G O L D E N P R O F I T

INTRODUCTION

Golden Profit Electronics Ltd. is located in Shayao Village, Shijie Town, Dongguan City, Guangdong Province, China. Through forty-year development, GPE sets research and development, manufacturing, sales and after-sales service in one of the modern high-tech enterprises.

GPE specializes in producing switching power supply, adapters, chargers, high and low frequency transformer, etc. We possess modern workshops, over 1000 employees and have more than 100 high-quality management personnel and R&D technician. To ensure the quality of products, automated assembly line operations use advanced production and inspection equipment like automatic computer testing equipment, placement machine, full-automatic vertical and horizontal AI plug-in, wave soldering, reflow soldering, etc.

GPE has passed international quality management system ISO9001: 2020 and environmental management system ISO14001: 2020. Our products have been approved with UL, CUL, GS, BS, CE, SAA, PSE, CCC, K-mark, S-mark etc. certificates, which is mainly exported to USA, Europe, Australia, South America, Southeast Asia and so on.

We believe that we can build our future with technology, producing environmental protection and energy saving products to pay back our society. Furthermore, "People foremost, integrity-based mutual benefit, pragmatic innovation, efficiency-guaranteed progress with unity" is the purpose of our company. All staff pursue progress and improvement, adhere to quality first and good service as well. Through innovation and continuous research and development, we consolidate the status of GPE brand so as to provide high-quality products and good service to our customers.



GPE GOLDEN PROFIT
金盈电子有限公司

东莞市金盈电子有限公司 (以下简称 GPE) 位于东莞市石碣镇沙腰村金沙路。GPE 经过四十年的发展, 已成长为集产品研发、制造、销售及服务于一体的电源高新技术企业。

GPE 专业生产各种开关电源适配器、充电器、高低频变压器等产品。公司拥有现代化厂房, 员工 1000 多人, 高素质管理和研发技术人才 100 多人。自动化流水线作业, 采用全自动电脑测试仪、贴片机、全自动立式、卧式 AI 插件、波峰焊、回流焊等先进生产和检验设备, 为产品的品质提供了有效的保证。

GPE 通过了 ISO 9001:2020 质量管理体系认证及 ISO14001: 2020 环境管理体系认证, 产品已取得世界权威机构颁发的 UL, CUL, GS, BS, CE, SAA, PSE, CCC, K-MARK, S-MARK 等多国家产品安全认证, 产品远销美国, 欧洲, 澳洲, 南美洲和东南亚等国家。

GPE 以科技创造未来, 用环保节能产品回报社会, 秉承“以人为本、诚信互利、务实创新、高效保质、团结共进”为宗旨。全员参与持续改善、品质至上、精益求精、通过坚持创新和不断研发, 保持 GPE 品牌地位, 为全球客户提供优质新品和卓越服务。



员工 1000 +




技术人才 100 +



多国家产品安全认证

CERTIFICATE



GPE013DA/013DB

- 输入：AC 90V–264V
Input
- 输出：013DA: A1:5V/2.4A 12W(max)
Output A2:5V/2.4A 12W(max)
A1+A2:5V/2.4A 12W(max)
013DB: 5V/2.4A 12W(max)
- 尺寸：38.1*33.6*33.5 mm
Size




GPE013EA/013EB

- 输入：AC 90V–264V
Input
- 输出：013EA: A1:5V/2.4A 12W(max)
Output A2:5V/2.4A 12W(max)
A1+A2:5V/2.4A 12W(max)
013EB: 5V/2.4A 12W(max)
- 尺寸：41.0*41.0*41.0mm
Size



GPE015K/015J

- 输入：AC 90V–264V
Input
- 输出：015K: A1:5V/3A 15W(max)
Output 015J: WIRE:5V/3A 15W(max)
- 尺寸：58.0*38.0*31.0 mm
Size



GPE017D

- 输入：AC 90V–264V
Input
- 输出：A1:5V/3.4A 17W(max)
Output A2:5V/3.4A 17W(max)
A1+A2:5V/3.4A 17W(max)
- 尺寸：40.5*36.8*38.0 mm
Size




GPE018E/018F

- 输入：AC 90V–264V
Input
- 输出：018E: A1:5V/3.4A 17W(max)
Output A2:5V/3.4A 17W(max)
A1+A2:5V/3.4A 17W(max)
- 输出：018F: A1:5V/3A 9V/2.22A 12V/1.67A 20W(max)
C1:5V/3A 9V/2.22A 12V/1.67A 20W(max)
A1+C1:5V/3.4A 17W(max)
- 尺寸：83.0*44.5*12.0 mm
Size



GPE020M

- 输入：AC 90V-264V
Input
- 输出：C1:5V/3A 9V/2.22A 12V/1.67A 20W(max)
Output
- 尺寸：31.0*31.0*31.0 mm
Size



GPE030R

- 输入：AC 90V-264V
Input
- 输出：A1:5V/3A 9V/3A 12V/2.5A 15V/2A 30W(max)
Output C1:5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A 30W(max)
A1+C1:4.5V/5.5A 24.5W(max)
- 尺寸：40.0*36.5*28.0mm
Size



GPE020G

- 输入：AC 90V-264V
Input
- 输出：C1:5V/3A 9V/2.22A
Output 12V/1.67A 20W(max)
- 尺寸：31.5*31.5*33.5mm
Size



GPE033D

- 输入：AC 90V-264V
Input
- 输出：C1:5V/3A 9V/3A
Output 12V/2.5A 15V/2A
20V/1.5A 30W(max)
PPS:3.3-11V/3A 33W(max)

GPE020D


- 输入：AC 90V-264V
Input
- 输出：C1:5V/3A 9V/2.22A
Output 12V/1.67A 20W(max)
- 尺寸：39.5*39.5*28.0 mm
Size

GPE030T

- 输入：AC 90V-264V
Input
- 输出：C1:5V/3A 9V/3A
Output 12V/2.5A 15V/2A
20V/1.5A 30W(max)


GPE035B

- 输入：AC 90V-264V
Input
- 输出：C1:5V/3A 9V/3A
Output 12V/2.5A 15V/2.33A
20V/1.75A 35W(max)



GPE035A

- 输入：AC 90V–264V
Input
- 输出：C1:5V/3A 9V/3A 12V/2.5A 15V/2.33A 20V/1.75A 35W(max)
Output
A1:5V/3A 9V/2A 12V/1.5A 18W(max)
C1+A1:5V/3A 15W(max)
- 尺寸：43.0*40.0*28.0 mm
Size



GPE045I

- 输入：AC 90V–264V
Input
- 输出：C1:5V/3A 9V/3A 12V/3A 15V/3A 20V/2.25A 45W(max)
Output
- 尺寸：83.0*44.5*12.0 mm
Size

GPE050A

- 输入：AC 90V–264V
Input
- 输出：C1:5V/3A 9V/3A 12V/3A 15V/3A 20V/2.25A 45W(max)
Output C2:5V/3A 9V/2.22A 12V/1.67A 20W(max)
C1+C2:30W+20W 50W(max)
- 尺寸：53.5*53.5*32.0mm
Size



GPE065C/065S

- 输入：AC 90V–264V
Input
- 输出：065C:C1:5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(max)
Output 065S:C1:5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(max)
A1:5V/3A 9V/3A 12V/2.5A 30W(max)
C1+C2:45W+20W C1+A1:45W+18W C2+A1:5V/3A 15W
C1+C2+A1:45W+15W
- 尺寸：54.0*53.0*28.0mm
Size

